



IMPORTANT APPLICATION INFORMATION for Cleaning Indian Cotton

Indian Cotton is extremely susceptible to browning. The two main causes is alkalinity and remaining wet too long.

Application Method for Cleaning

Step 1

- Discuss the difficult nature of cleaning Indian Cotton with the client and the possibility of browning.
- Vacuum the sofa and cushions thoroughly to remove all dry soiling.
- Always remove the inner of cushions before cleaning

Step 2

1. Mix 1 part Indian Cotton Shampoo with 10 to 20 parts warm water
2. Using a good quality trigger spray or pump sprayer, apply the Indian Cotton Shampoo solution over the area to be cleaned. Wet it out but do not over-apply.
3. Agitate with an upholstery brush and allow 5 minutes dwell time.
4. Rinse using steam extraction equipment with a 1:100 solution of Rinse Pro. Hold the upholstery tool about 10cm away from the fabric when spraying and the return with vacuum only to extract away the moisture.
5. Do not do a second stroke using the rinse solution; however do several vacuum only strokes to extract as much moisture as possible. Pay special attention to the corner, seam and zip areas where moisture tends to accumulate.
6. Provide a high level of accelerated drying. The speed with which the fabric is dried will determine the possibility of browning. Use air movers, fan heaters or sunlight. Do not overheat the fabric.

Application Method for Browning Reversal

Step 1

1. Mix 1 part **Indian Cotton Shampoo** with 5 parts warm water
2. Using a good quality trigger spray or pump sprayer, apply the Indian Cotton Shampoo solution over the area to be cleaned. Wet it out but do not over-apply.
3. Agitate with an upholstery brush and allow 20 minutes dwell time.
4. Rinse using steam extraction equipment with a 1:100 solution of **Rinse Pro**. Hold the upholstery tool about 10cm away from the fabric when spraying and the return with vacuum only to extract away the moisture.
5. Do not do a second stroke using the rinse solution; however do several vacuum only strokes to extract as much moisture as possible. Pay special attention to the corner, seam and zip areas where moisture tends to accumulate.
6. Provide a high level of accelerated drying. The speed with which the fabric is dried will determine the possibility of the browning re-occurring. Use air movers, fan heaters or sunlight. Do not overheat the fabric.

Note: Cushion fabrics can be soaked in a 1:4 Indian Cotton Solution for 20 minutes instead of applying the solution with a spray bottle.

February 2012