Section 1: Product and Company Identification:



T&G Spot Remover

Paint, Oil and Grease Remover for Tiles and Resilient Surfaces

Applied Products Australia Pty Ltd

11 Gamma Close Phone: (02)4966 5516 Beresfield (Newcastle) Fax: (02)4966 5510

NSW, 2322, Australia E-Mail: info@actichem.com.au

Emergency Telephone Number: (02)4966 5516 (Monday – Friday 8:00am – 5:00pm)

Poisons Information Centre: 131 126

Date of MSDS Preparation: 1 January 2014

Section 2: Hazard Identification

Product Name: T&G Spot Remover

Product Code: AP150
Risk Phrase: IRRITANT

R36 Irritating to eyes

R37 Irritating to respiratory system

R38 Irritating to skin

Safety Phrases: S(1) Keep out of reach of children

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S41 In case of fire and/or explosion, do not breathe fumes.

Section 3: Composition and Information on Ingredients

INGREDIENTS

All hazardous substances as defined by the NOHSC code 1008 are listed by chemical name and CAS No. Other ingredients which are determined to be non-hazardous are listed by generic name or as "other ingredients determined not to be hazardous."

CHEMICAL NAMECAS No.PROPORTIONn-Methyl-2-Pyrrolidone872-50-430 - <60%</td>Ethylene Glycol Monobutyl Ether111-76-230 - <60%</td>Other ingredients determined not to be hazardous>60%

Section 4: First Aid

Swallowed: If poisoning occurs, immediately contact a doctor or a Poisons Information Centre

Tel 0800 764 766. Do NOT induce vomiting. Give 3 glasses of water.

Eyes: In case of contact with eyes, flush immediately under running water (ensure eyelids are held

open) for 15 minutes. If irritation persists contact a doctor or Poisons Information Centre.

Skin: Remove contaminated clothing immediately and wash skin thoroughly with soap and water.

Seek medical advice if irritation persists.

Inhaled: Remove from contaminated area. Apply artificial respiration if not breathing.

First Aid Facilities: Normal washroom facilities.

Advice to doctor: Treat symptomatically.

Section 5: Fire Fighting Measures

Flammability: Not flammable or combustible.

Fire/Explosion Hazard: Use dry chemical, foam or water fog. Wear full body protective clothing with self-

contained breathing apparatus (SCBA) and protective gloves. Prevent by any means

available to prevent any spillage entering a watercourse.

Hazardous Combustion Products: None known

Section 6: Accidental Release Measures

Spills and Disposals: Large Spills - Absorb on sand, dirt, vermiculite or similar absorbent material. Place

into labeled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large

for you to safely and effectively handle.

Small Spills – Flush away with copious amounts of water.

Personal Protective Equipment: Refer to Section 8 of this MSDS for PPE required.

Section 7: Safe Handling Information

Storage & Transport: Store in a cool place and out of direct sunlight. Keep container sealed when not in

use. Store locked up and out of reach of children. Only store in the original container

as supplied by the manufacturer.

Handling: Always use recommended Personal Protective Equipment (see section 8 of this

MSDS). Do not mix with any other chemical unless expressly recommended by the

manufacturer.

Section 8: Exposure Controls and Personal Protection

Exposure Standards: No exposure standards have been assigned to this product.

Engineering Controls: Maintain adequate ventilation at all times. In most circumstances natural

ventilation systems are adequate unless the material is heated, reacted or otherwise

changed in some type of chemical reaction, then the use of a local exhaust

ventilation system is recommended.

Personal Protection Equipment:

Gloves – Use NBR or vinyl gloves.

Goggles – Not normally required when used as directed. If eye contact is possible

and if decanting then use chemical resistant goggles.

Respiratory Protection – Not normally required. If used in confined spaces, select and use respirators in accordance with AS/NZS 1715/1716. The use of half-face P1

(dust/mist) respirator with replaceable filters is recommended.

Section 9: Physical and Chemical Properties

Appearance: Clear colourless liquid with a mild limonine odour.

Boiling Point: Not determined **Vapour Pressure:** Not determined

Specific Gravity: 0.94

Flashpoint: Not flammable Flammability Limits: Not flammable Solubility in Water: Dispersible

OTHER PROPERTIES

Corrosiveness: Not corrosive. **Reactivity:** Not reactive.

pH: N/A

Section 10: Stability and Reactivity

Stability: Stable under normal conditions of use.

Hazardous Decomposition Products: Non known. **Hazardous Polymerization:** Will not occur.

Incompatibilities: Oxidizing agents and chlorine

Conditions to avoid: Incompatibilities.

Section 11: Toxicological Information

HEALTH EFFECTS

ACUTE

Swallowed: Harmful if swallowed. Swallowing large amounts may result in gastrointestinal irritation,

central nervous system depression, liver damage and kidney damage.

Eye: Will cause severe eye irritation and possible corneal damage.

Skin: Will cause irritation to the skin and dryness.

Inhaled: Vapour concentrations in poorly ventilated areas may cause irritation to the eyes, nose, and

respiratory system with effects including; headache, drowsiness and dizziness.

CHRONIC Prolonged skin contact may lead to dermatitis.

Prolonged or unattended eye contact may result in permanent eye damage. Exposure to very high vapour concentrations may result kidney and liver damage.

Toxicological Information: There is no toxicological information for the product **T&G Spot Remover.**

Section 12: Ecological Information

Ecological Information: There is no ecological information for the product **T&G Spot Remover.**

Section 13: Disposal Considerations

Disposal Methods: Recycle all plastic containers using suitable local council recycling facilities. Rinse out

the container with clear water.

Avoid tipping product directly into the sewer system.

Section 14: Transport Information

T&G Spot Remover is not classified as a Dangerous Good for transport or storage.

UN Number: Not allocated

Dangerous Goods Class

and Subsidiary Risk:Not allocatedProper Shipping Name:Not allocatedHazchem Code:Not allocatedPoisons Schedule No:Schedule 6

Section 15: Regulatory Information

Hazard Category: Xi: Irritant **Poisons Scheduling:** Schedule 6

Standard Statements

A For advice, contact a Poisons Information Centre (Tel 131 126) or a doctor

G3 If swallowed do NOT induce vomiting.

E2 If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information

Centre (tel 131 126) or a doctor or for at least 15 minutes.

S1 If skin or hair contact occurs, remove contaminated clothing and flush skin

and hair with running water.

Safety Statements

1 Avoid contact with eyes.

4 Avoid contact with skin.

8 Avoid breathing vapour.

Section 16: Other Information

Last MSDS Revision: 1 January 2014

Sources:

Preparation of Safety data Sheets for Hazardous Chemicals Dec 2011

National Code of Practice for the Preparation of Material Safety Data Sheet 2nd Edition

[NOHSC: 2011(2003)]

 National Standard for the Storage and Handling of Workplace Dangerous Goods [NOHSC:1015(2001)]

Hazardous Substances Information System Data Base 26 July 2011

Australian Dangerous Goods Code 6th Edition

Standard for the Uniform Scheduling of Medicines and Poisons No.2 August 2011

Abbreviations: ppm - parts per million

TLV - Threshold Limit Value

mmHG - millimetres of Mercury (Hg) – this is a unit of pressure

CAS No - Chemical Abstracts Service Registry Number

TWA - Time Weighted Average

STEL - Short Term Exposure Limit

PEL - Permissible Exposure Limit.

< & > - < Less Than > Greater Than

UN - United Nations

AICS - Australian Inventory of Chemical Substances

LC50 - Lethal Concentration. LC50 is the concentration of a material in air which

causes death of 50% (one half) of a group of test animals.

LD50 - Lethal Dose". LD50 is the amount of a material, given all at once, which

causes the death of 50% (one half) of a group of test animals.

DISCLAIMER:

All information appearing herein is based upon data obtained from raw material manufacturers and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of **Applied Products Australia** and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.