# SAFETY DATA SHEET



# **WINDOWGLEAM**

#### **APPLIED PRODUCTS AUSTRALIA PTYLTD**

Catalogue number: **AP555** Version No: **2.1** Issue date: **17/11/2020** 

Safety Data Sheet according to WHS and ADG requirements

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

Product name	WINDOWGLEAM
Product code	AP555
Pack sizes	5L & 15L

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Spray on wipe off window cleaner

## Details of the manufacturer/importer

Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Website	www.actichem.com.au
Email	info@actichem.com.au

## Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

## **SECTION 2 HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

 ${\it HAZARDOUS\ CHEMICAL.\ NON-DANGEROUS\ GOODS.\ According\ to\ the\ Model\ WHS\ Regulations\ and\ the\ ADG\ Code.}$ 

Poisons Schedule	Not Applicable
GHS Classification	Eye Irritation Category 2A Skin Corrosion/Irritation Category 2
	Classification drawn from HCIS and ECHA C&L Inventory

### Label elements

GHS label elements



SIGNAL WORD	WARNING

## Hazard statement(s)

H315	Causes skin irritation
H319	Causes serious eye irritation

# Precautionary statement(s) Prevention

, , ,	
P264	Wash contaminated skin thoroughly after handling
P280	Wear protective gloves and eye/face protection

## Precautionary statement(s) Response

• • • • • • • • • • • • • • • • • • • •	·
P302+P352+P362+P332+P313	IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

### Precautionary statement(s) Storage

# Precautionary statement(s) Disposal

Product Code: AP555 WINDOWGLEAM Issue Date: 17/11/2020 Version No: 2.1

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
67-63-0	<10	isopropanol
111-76-2	<10	ethylene alycol monobutyl ether

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## **SECTION 4 FIRST AID MEASURES**

## Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Seek medical attention without delay Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	For advice, contact a Poisons Information Centre or a doctor at once If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 FIREFIGHTING MEASURES**

## Extinguishing media

Ose extinguishing media sultable for suffounding area.	Extinguishing media	There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for surrounding area.
--	---------------------	--

## Special hazards arising from the substrate or mixture

Fire incompatibilities	Avoid contamination with oxidising agents
Advice for firefighters	
Fire fighting	Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves in the event of a fire.  Prevent, by any means available, spillage from entering drains or water courses.  Use firefighting procedures suitable for surrounding area.  DO NOT approach containers suspected to be hot.  Cool fire exposed containers with water spray from a protected location.  If safe to do so, remove containers from path of fire.  Equipment should be thoroughly decontaminated after use.

May decompose and emit fumes of carbon monoxide (CO), carbon dioxide (CO2), and other pyrolysis products typical of burning organic material

# **SECTION 6 ACCIDENTAL RELEASE MEASURES**

Fire/Explosion Hazard

HAZCHEM

## Personal precautions, protective equipment and emergency procedures

Not applicable

May emit corrosive fumes.

	Minor environmental hazard - contain spillage.
	Clean up all spills immediately.
	Avoid breathing vapours and contact with skin and eyes.
Minor Spills	Control personal contact with the substance, by using protective equipment.
	Contain and absorb spill with sand, earth, inert material or vermiculite.
	Wipe up.
	Place in a suitable, labelled container for waste disposal.
	Minor environmental hazard - contain spillage.
	Wear eye protection plus protective gloves.
	Prevent, by any means available, spillage from entering drains or water course.
Major Spills	Stop leak if safe to do so.
	Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.
	Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
	Personal Protective Equipment advice is contained in Section 8 of the SDS.

WINDOWGLEAM Product Code: AP555 Issue Date: 17/11/2020 Version No: 2.1

## **SECTION 7 HANDLING AND STORAGE**

### Precautions for safe handling

Wear respiratory protection and eye protection when risk of exposure occurs.

Use in a well-ventilated area.

Safe handling

Avoid contact with incompatible materials. When handling,  $\ensuremath{\text{\textbf{DO NOT}}}$  eat, drink or smoke

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Other information

#### Conditions for safe storage, including any incompatibilities

Suitable container

Polyethylene or polypropylene container. Packing as recommended by manufacturer.

Check all containers are clearly labelled and free from leaks.

Storage incompatibility Avoid reaction with oxidising agents

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	isopropanol	Isopropyl alcohol	683 mg/m3/ 400 ppm	1230 mg/m3 / 500 ppm	Not Available	Not Available
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxyethanol	96.9 mg/m3 / 20 ppm	242 mg/m3 / 50 ppm	Not Available	Not Available

#### EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
isopropanol	Isopropyl alcohol	400 ppm	400 ppm	12,000 ppm
ethylene glycol monobutyl ether	2-Butoxyethanol	20 ppm	20 ppm	700 ppm

Ingredient	Original IDLH	Revised IDLH
isopropanol	12,000 ppm	2,000 [LEL] ppm
ethylene glycol monobutyl ether	700 ppm	700 [Unch] ppm

# **Exposure controls**

controls	If ventilation is poor, then t
Personal protection	

Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. the use of a local exhaust ventilation system is recommended

Thermal hazards

Appropriate engineering



Not Available

Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye Eye and face protection rednessor irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.

Skin protection See Hand protection below Hands/feet protection It is good practice to wear protective gloves when handling chemicals. Neoprene gloves are recommended for this application. **Body protection** See Other protection below

Other protection

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance	Clear blue liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Melting point / freezing point (°C)	Alcohol	Partition coefficient n-octanol / water	Not Available
Initial boiling point and boiling range (°C)	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	10.3	Decomposition temperature	Not Available
Odour	Alcohol	Viscosity (cSt)	Not Available
Odour threshold	Not Available	Molecular weight (g/mol)	Not Available

WINDOWGLEAM Product Code: AP555 Issue Date: 17/11/2020 Version No: 2.1

Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects of the respiratory tract (as classified by EC Directives using animal models). However it is, good hygiene practice for exposure be kept to a minimum and that suitable control measures be used in an occupational setting.			
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.			
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).  Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Eye	This material can cause eye irritation in some persons.  Eye contact may cause tearing or blurring of vision.			
Chronic	No relative data is listed.			

## Toxicological effect of ingredients

isopropanol	Acute toxicity	Oral LD50 (rat) 5045 – 5840 mg/kg Dermal LD50 (rabbit) 12800 mg/kg Inhalation LC50 (rat) 16000 ppm/8h	
	Skin corrosion/irritation	May be irritating to skin	
	Eye damage/irritation	Causes serious eye irritation	
	Respiratory/skin sensitization	Not expected to be a sensitizer	
	Germ cell mutagenicity	Not considered to be a mutagenic hazard	
	Carcinogenicity	Not considered to be a carcinogenic hazard.	
	Reproductive toxicity	Not considered to be toxic to reproduction	
	STOT (single exposure)	May cause drowsiness or dizziness	
	STOT (repeated exposure)	Not expected to cause toxicity to a specific organ	
	Aspiration toxicity	Not expected to be an aspiration hazard	
ethylene glycol monobutyl	Acute toxicity	Oral LD50 (guinea pig) 1414 mg/kg Dermal LD50 (guinea pig) >2000 mg/kg Inhalation LC0 >3.1 mg/l>641 ppm 1h	
ether	Skin corrosion/irritation	Causes skin irritation.	
	Eye damage/irritation	Causes serious eye irritation.	
	Respiratory/skin sensitization	Not classified No study available.	
	Germ cell mutagenicity	Not classified	
	Carcinogenicity	Not classified	
	Reproductive toxicity	Not classified	
	STOT (single exposure)	High concentrations may cause central nervous system depression	
	STOT (repeated exposure)	Based on repeated exposure toxicity values, not classified	
	Aspiration toxicity	Based on physico-chemical values or lack of human evidence,not classified	

# **SECTION 12 ECOLOGICAL INFORMATION**

	Endpoint	Duration (hr.)	Species	Value
isopropanol	LC50	96	Fish	9-640mg/L
	EC50	48	Crustacea	12500mg/L
	EC50	72	Algae or other aquatic plants	>1000mg/L
	EC0	24	Crustacea	5-102mg/L
	NOEC	504	Crustacea	=30mg/L
ethylene glycol monobutyl	LC50	96	Fish	1-250mg/L
ether	EC50	48	Crustacea	>1-mg/L
	EC50	96	Algae or other aquatic plants	>1-mg/L
	NOEC	24	Crustacea	>1-mg/L

Product Code: AP555 WINDOWGLEAM Issue Date: 17/11/2020 Version No: 2.1

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
isopropanol	LOW (Half-life = 14 days)	LOW (Half-life = 3 days)
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)

#### Bio accumulative potential

Ingredient	Bioaccumulation
isopropanol	LOW (BCF = 130)
ethylene glycol monobutyl ether	LOW (BCF = 2.51

#### Mobility in soil

Ingredient	Mobility
isopropanol	HIGH (KOC = 1.06)
ethylene glycol monobutyl ether	HIGH (KOC = 1)

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product / packaging disposal Recycle containers w Product residues and	nenever possible. containers should be disposed of in accordance with local government regulations
--	--

#### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### **SECTION 15 REGULATORY INFORMATION**

#### Safety, health, and environmental regulations / legislation specific for the substance or mixture

#### ISOPROPANOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

#### ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6 Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

## **SECTION 16 OTHER INFORMATION**

#### **Revision Schedule**

Revision Date	17/11/2020
Initial Date	21/06/2016

# SDS Version Summary

Version	Issue Date	Sections Updated
4.1	17/11/2020	Sections 2,11,12,15,16 have been updated or corrected

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of APPLIED PRODUCTS AUSTRALIA PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes

#### Definitions and abbreviations

PC-TWA; Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Government Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

OSF: Odour Safety Factor NOAEL: No Observed Effects Level Threshold Limit Value TLV: LOD: Limit Of Detection Odour Threshold Value OTV: BCF: Bio Concentration Factors Biological Exposure Index BEI:

This document is copyright

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Applied Products Pty Ltd.