Stone Sealer Gold

Premium water based penetrating sealer

Stone Sealer Gold is a premium water-based penetrating sealer professionally formulated to provide unparalleled protection of concrete, marble, limestone, travertine, granite and bluestone. Its advanced flourochemical polymer technology chemically interacts with the minerals in these fine stones to create a powerfully repellent surface.

- Premium protection for up to 15 years.
- Independently performance tested by NATA approved laboratory.
- Meets the requirements for Green Building Council of Australia Green Star Office Design V3 IEQ-13.

BENEFITS

- Precise Chemistry Formulated using a precise blend of "nano – small particle" fluorochemical technology with specialist penetrating solvents to achieve a high level of penetration into small-pore, dense substrates.
- Premium Protection provides premium protection against water and oil borne contaminants including; food and beverage stains, oil & greasy spills, biological growth such as mould & mildew, s p a l l i n g, efflorescence, pollution and weathering.
- Versatile Application Water based chemistry allows easy application, providing premium protection to a wide range of substrates.
- Natural Look does not alter the natural look of concrete or stone, nor change its surface texture, slip characteristics or colouring.
- Surface Safe will not etch or cause discolouration of marble, concrete or fine stone.
- Vapour Permeable won't trap moisture. Allows natural stone to "breathe".
- Safe to Use Stone Sealer Gold does not contain chlorinated hydrocarbons and is not a suspected carcinogen.



Recommended applications:

- Formulated to provide premium protection from staining to medium to high porosity fine stone, masonry, clay & cement products.
- Marble, Limestone, Travertine
- Sandstone & Bluestone
- Cement & Clay pavers
- Terracotta, Saltillo, Quarry
- Concrete

Ideal for all interior and exterior applications. Excellent protection afforded to fine stone flooring and walls, outdoor stone features, patios, walkways, concrete and clay paving.

Expected Wear:

Stone Sealer Gold will provide excellent protection for up to 15 years. However application methods, weather conditions, traffic and harsh cleaning methods will affect wear. Avoid use of solvents, strong acids and strong alkalis for extended sealer life.

Cleaning with Actichem Proneutro is recommended. It is recommended that the sealer should be re-applied every 5 - 7 years where harsh conditions exist.

PRODUCT SPECIFICATIONS

Product code: AP177 Safety: Non-hazardous Packaging: 5Lt, 15Lt, 200Lt & 1000Lt



Actichem | 1800 108 800 | www.actichem.com.au 11 Gamma Close Beresfield NSW 2322 | info@actichem.com.au

Stone Sealer Gold

Premium water based penetrating sealer

HOW TO USE

Read and understand the MSDS before use Always pre-test in an inconspicuous location for sensitivity to chemicals.

Preparation:

- New installations must be fully cured before application of Stone Sealer Gold (Min 48 hours)

- Existing stone, tile and grout must be totally clean, dry and chemical free.
- Coverage is 10 to 30m2 / Litre per coat.

- Highly absorbent surfaces may require two or three coats.

Application:

- 1. Apply 1 to 3 coats of Stone Sealer Gold by generously saturating the surface using a polish applicator, roller or sprayer to an area which can be easily reached. (Approximately 15m2). Ensure even coverage.
- 2. The surface must be shiny wet with a liquid film for at least 1 minute. For very porous substrates more sealer may need to be applied.
- 3. Allow 5 10 minutes for the sealer to absorb into the surface and then move the excess product with a squeegee to a new section.
- 4. If a second coat is to be applied, wait 20 to 30 minutes and repeat the process.
- 5. Using absorbent toweling or applicator, wipe off any sealer remaining on the surface after 10 minutes of the last application. Moisten the towel with Methylated Spirits to remove residues which have dried on the surface.
- 6. Allow 12 hours before returning area to traffic. Keep dry for 24 hours. Achieves a full cure in 24-48 hours.



The professionals choice worldwide.



Actichem | 1800 108 800 | www.actichem.com.au 11 Gamma Close Beresfield NSW 2322 | info@actichem.com.au



Stone Sealer Gold

Stone Sealer Gold has been performance tested by Stone Initiatives Pty Ltd; an independent ASTM listed, ASAA member Dimension Stone Laboratory to assess the stain resistance imparted to applied surfaces.

Summary of Testing:

Stone Samples:	Sydney Sandstone – sawn finish Marble – Polished finish Limestone - Polished finish			
Test Specification:	AS4459:14-99 (Modified cleaning methods)			
Sealer Application:	2 coats Stone Sealer Gold			
Coverage Rate:	Sydney Sandstone - Marble - Limestone -	1lt/4.4m ² 1lt/20.5m ² 1lt/4.6m ²		
Ctain againt duvall times.	1 hour 9 24 hour			

The test results from this stringent test procedure demonstrate how effectively the Stone Sealer Gold protects treated surfaces. Whilst it is a well-known fact that no sealer provides a "bullet-proof" barrier to all stains these test results show how close the Stone Sealer Gold comes to providing a virtual shield to treated surfaces.

Stain agent dwell time: 1hour & 24 hour

Staining Agents	Limestone Improved mean stain resistance rating from 64% to 94%		Marble Improved mean stain resistance rating from 48% to 70%		Sandstone Improved mean stain resistance rating from 62% to 78%	
	Unsealed	Sealed	Unsealed	Sealed	Unsealed	Sealed
Red Wine	Light Staining	No Staining	Etching & Staining	Etching & Staining	Moderate Staining	Slight Staining
Orange Juice	Moderate Staining	No Staining	Staining	Staining	Light Staining	No Staining
Black Coffee	Light Staining	No Staining	Severe Staining	Slight Staining	Moderate Staining	No Staining
Engine Oil	Severe Staining	No Staining	Moderate Staining	No Staining	Severe Staining	Light Staining
Olive Oil	Moderate Staining	No Staining	Moderate Staining	No Staining	Moderate Staining	No Staining

Sandstone

The unsealed stone has very poor resistance to staining; especially oil based stains and is severely affected by stains which leave a fine residue such as coffee and red wine.

The sample of Sydney Sandstone treated with Stone Sealer Gold significantly improved the stone's resistance to the staining agents. Improved mean stain resistance rating from 62% to 78%

Marble

The unsealed stone is extremely sensitive to all staining agents and especially acidic solutions such as red wine and orange juice. No sealer is known which will provide marble with a total barrier to red wine.

The sample of Bianco Carrara Marble treated with Stone Sealer Gold significantly improved the stone's resistance to the staining agents applied. It produced a perfect result on the oily stains and reduced etching and visibility of the acidic and fine residue stains. Improved mean stain resistance rating from 48% to 70%

Limestone

The unsealed stone was found to show severe staining to orange juice.

The sample of light coloured granite treated with Stone Sealer Gold significantly improved the stone's resistance to all staining agents. Improved mean stain resistance rating from 64% to 94%

Actichem | 1800 108 800 | www.actichem.com.au 11 Gamma Close Beresfield NSW 2322 | info@actichem.com.au