# **SAFETY DATA SHEET**



## **POG**

### **ACTICHEM PTYLTD**

Catalogue number: AP482 Version No: 2.3 Issue date: 10/06/2022

Safety Data Sheet according to WHS and ADG requirements

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

Product name	ACTICHEM POG
Product code	AP482
Pack sizes	500ml & 5L

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Paint, Oil and Grease Remover for Carpets & Hard Surfaces

#### Details of the supplier of the safety data sheet

Registered company name	ACTICHEM PTY LTD	
Address	11 Gamma Close, Beresfield 2322 NSW Australia	
Telephone	(02) 4966 5516	
Website	www.actichem.com.au	
Email	info@actichem.com.au	

#### **Emergency telephone number**

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

## **SECTION 2 HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	6
GHS Classification	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Skin Sensitizer Category 1, Acute Toxicity – Inhalation Category 3, Flammable Liquids Category 3
	Classification drawn from HCIS and ECHA C&L Inventory.

#### Label elements

Hazard pictograms







SIGNAL WORD DANGER

# Hazard statement(s)

H226	Flammable liquid and vapour.
H315	Causes skin irritation
H319	Causes serious eye irritation
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
AUH019	May form explosive peroxides

Product Code: FT482 POG Issue Date: 10/06/2022 Version No: 2.3

### Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves / eye protection / face protection.	
P261	Avoid breathing mist / vapours / spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. <b>No s m o k i n g</b> .	
P233	Keep container tightly closed.	
P240	Ground/Bond container and receiving equipment.	
P241	Use explosion-proof electrical / ventilating / lighting / intrinsically safe equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	

### Precautionary statement(s) Response

P305+P351+P338+P337+P313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice / attention.	
P303+P362+P352+P333+P313	IF ON SKIN (or hair): Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice / attention.	
P304+P340+P311	P304+P340+P311 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor.	
P370+P378 In case of fire: Use alcohol resistant foam or normal protein foam for extinction.		

## Precautionary statement(s) Storage

P403+P405+P233+P235 Store locked up, in a well-ventilated place. Keep container tightly closed. Keep cool.

### Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

## Mixtures

CAS No	%[weight]	Name
111-76-2	30-<60	ethylene glycol monobutyl ether
Trade secret	10-<30	proprietary solvent
5989-27-5	10-<30	<u>d-limonene</u>
9016-45-9	<10	nonyl phenol ethoxylates

## **SECTION 4 FIRST AID MEASURES**

# Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If pain persists or recurs seek medical attention.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation or rash.
Inhalation	If fumes or combustion products are inhaled remove from contaminated area.  Lay patient down. Keep warm and rested.  Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.  Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.  Transport to hospital, or doctor, without delay.
Ingestion	If swallowed do NOT induce vomiting.  If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.  Observe the patient carefully.  Never give liquid to a person showing signs of being sleepy or with reduced awareness, i.e. becoming unconscious.  Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.  Seek medical advice.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Product Code: FT482 POG Issue Date: 10/06/2022 Version No: 2.3

### **SECTION 5 FIREFIGHTING MEASURES**

### Extinguishing media

- ▶ Foam.
- ► Dry chemical powder.
- ► BCF (where regulations permit).
- ► Carbon dioxide.
- ▶ Water spray or fog large fires only.

#### Special hazards arising from the substrate or mixture

Fire incompatibility Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters		
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.  Wear full body protective clothing with breathing apparatus.  Prevent, by any means available, spillage from entering drains or water course.  Use water delivered as a fine spray to control fire and cool adjacent area.  Avoid spraying water onto liquid pools.  DO NOT approach containers suspected to be hot.  Cool fire exposed containers with water spray from a protected location.  If safe to do so, remove containers from path of fire.	
Fire/Explosion Hazard	WARNING: In use may form flammable/ explosive vapour-air mixtures.  Combustible.  Slight fire hazard when exposed to heat or flame.  Heating may cause expansion or decomposition leading to violent rupture of containers.  May emit acrid smoke.  Mists containing combustible materials may be explosive.  On combustion, may emit toxic furnes of carbon monoxide (CO), carbon dioxide (CO2), nitrogen oxides (NOx) and other pyrolysis products typical of burning organic material.  May emit corrosive furnes.  WARNING: Long standing in contact with air and light may result in the formation of potentially explosive peroxides.	
HAZCHEM	•3Y	

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

Minor Spills	Environmental hazard - contain spillage. Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
<b>M</b> ajor Spills	Moderate environmental hazard - contain spillage. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Increase ventilation. Stop leak if safe to do so. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
PPE Personal Protective Equipment advice is contained in Section 8 of the SDS	

## **SECTION 7 HANDLING AND STORAGE**

Precautions for safe handli	ng
Safe handling	Product under certain conditions may form explosive peroxides when exposed to light and air.  Unopened containers received from the supplier should be safe to store for 18 months. Opened containers should not be stored for more than 12 months. Avoid all personal contact, including inhalation.  Wear protective clothing when risk of exposure occurs.  Use in a well-ventilated area.  Prevent concentration in hollows and sumps.  DO NOT enter confined spaces until atmosphere has been checked.  Avoid smoking, naked lights or ignition sources.  Avoid contact with incompatible materials.  When handling, DO NOT eat, drink or smoke.  Keep containers securely sealed when not in use.  Avoid physical damage to containers.  DO NOT allow clothing wet with material to stay in contact with skin
Other information	Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks.

Observe manufacturer's storage and handling recommendations contained within this SDS.

Product Code: FT482 POG Issue Date: 10/06/2022 Version No: 2.3

# Conditions for safe storage, including any incompatibilities

Suitable container	Metal can or drum Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Certain of the ingredients may form unstable peroxides in storage.  Avoid strong oxidising agents, strong acids and strong caustics.

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Control parameters**

## OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

INGREDIENT DATA							
Source	Ingredient	Material name	TWA	STEL	Peak		Notes
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxyethanol	96.9 mg/m3 / 20 ppm	242 mg/m3 / 50 pp	m Not A	vailable	Sk
EMERGENCY LIMITS							
Ingredient	Material name			TEEL-1	TEEL-2	TEE	EL-3
ethylene glycol monobutyl ether	Butoxyethanol, 2-; (Glycol ether EB)			20 ppm	20 ppm	700	ppm
d-limonene	Limonene, d-		20 ppm	20 ppm	160	ppm	
nonylphenol, ethoxylated	Glycols, polyethylene, mono(p-nonylphenol) ether;			9.9 mg/m3	110 mg/m3	300	mg/m3
Ingredient	Original IDLH			Revi	sed IDLH		
ethylene glycol monobutyl ether	700 ppm			700 [	Unch] ppm		
d-limonene	Not Available			Not a	Available		
nonylphenol, ethoxylated	Not Available			Not a	Available		

## **Exposure controls**

Appropriate engineering controls	Always maintain adequate ventilation. The use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g., PVC.  NOTE:  The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.  Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.  Gloves must only be worn on clean hands.
Body protection	See Other protection below
Other protection	Overalls. Respirator Barrier cream. Skin cleansing cream.
	Eye wash unit.

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance	Clear colourless liquid		
Physical state	Liquid	Relative density (Water = 1)	0.937
Odour	Citrus odour	Viscosity (cSt)	Not Available
Odour threshold	Not Available	Auto-ignition temperature	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Partition coefficient n-octanol / water	Not Available
Initial boiling point and boiling range (°C)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available

Product Code: FT482 POG Issue Date: 10/06/2022 Version No: 2.3

Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Molecular weight (g/mol)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Partly miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

Inhaled	Not classified as a respiratory irritant
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.
Skin Contact	The material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering.  Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. Ethylene glycol monobutyl ether penetrates the skin easily and will cause more harm on skin contact than through inhalation.  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Еуе	This material can cause eye irritation and damage in some persons.  Direct contact with the liquid may produce painful burning or stinging of the eyes and lids, watering and inflammation of the conjunctiva and temporary corneal clouding. Eye contact may cause tearing or blurring of vision.  Vapour may cause mild eye irritation.
Chronic	Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population.

## Toxicological effects of ingredients

d-limonene	Acute toxicity	Oral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >5000 mg/kg
	Skin corrosion/irritation	Causes skin irritation
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	May cause an allergic skin reaction
	Germ cell mutagenicity	No data available
	Carcinogenicity	No data available
	Reproductive toxicity	No data available
	STOT (single exposure)	No data available
	STOT (repeated exposure)	No data available
	Aspiration toxicity	May be fatal if swallowed and enters airways
ethylene glycol monobutyl	Acute toxicity	Oral LD50 (guinea pig) 1414 mg/kg Dermal LD50 (guinea pig) >2000 mg/kg Inhalation LC0 >3.1 mg/l>641 ppm 1h
ether	Skin corrosion/irritation	Causes skin irritation.
	Eye damage/irritation	Causes serious eye irritation.
	Respiratory/skin sensitization	Not classified No study available.
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Not classified
	Reproductive toxicity	Not classified
	STOT (single exposure)	High concentrations may cause central nervous system depression
	STOT (repeated exposure)	Based on repeated exposure toxicity values, not classified
	Aspiration toxicity	Based on physico-chemical values or lack of human evidence,not classified

Product Code: FT482 POG Issue Date: 10/06/2022 Version No: 2.3

nonylphenol ethoxylates	Acute toxicity	Oral LD50 (mouse) 4290 mg/kg
	Skin corrosion/irritation	moderate to severe irritation.
	Eye damage/irritation	moderate to severe irritation
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
proprietary solvent	Acute toxicity	Oral LD50 (rat) >5,000 mg/kg
	Skin corrosion/irritation	No skin irritation
	Eye damage/irritation	Irritating
	Respiratory/skin sensitization	Not sensitising
	Germ cell mutagenicity	Product is not considered to be genotoxic
	Carcinogenicity	This product does not contain any ingredient designated as probable or suspected human carcinogens by: NTP / IARC / OSHA / ACGIH
	Reproductive toxicity	No toxicity to reproduction / No effect observed on development
	STOT (single exposure)	Not classified
	STOT (repeated exposure)	Not classified
	Aspiration toxicity	No aspiration toxicity classification

# **SECTION 12 ECOLOGICAL INFORMATION**

# Toxicity

oxicity				
	Endpoint	Duration (Hr.)	Species	Value
d-limonene	LC50	96	Fish	0.46mg/L
	EC50	48	Crustacea	0.307mg/L
	EC50	72	Algae or other aquatic plants	0.214mg/L
	NOEC	0	Algae or other aquatic plants	<0.05-1.5mg/L
ethylene glycol monobutyl	LC50	96	Fish	1-250mg/L
ether	EC50	48	Crustacea	>1-mg/L
	EC50	96	Algae or other aquatic plants	>1-mg/L
	NOEC	24	Crustacea	>1-mg/L
nonylphenol ethoxylates	NOEC	36.5	Fish	0.0001-mg/L
proprietary solvent	LC50	96	Pimephales promelas (fathead minnow)	18-24 mg/L
	EC50	48	Daphnia magna (Water flea)	112-150 mg/L
	ErC50	72	Pseudokirchneriella subcapitata (green algae)	>85 mg/L
	<u>,                                      </u>			

Harmful to aquatic organisms. DO NOT discharge into sewer or waterways.

## Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)
d-limonene	HIGH	HIGH

# Bio accumulative potential

Ingredient	Bioaccumulation
ethylene glycol monobutyl ether	LOW (BCF = 2.51)
d-limonene	HIGH (LogKOW = 4.8275)

# Mobility in soil

Ingredient	Mobility
ethylene glycol monobutyl ether	HIGH (KOC = 1)
d-limonene	LOW (KOC = 1324)

## **SECTION 13 DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible.  Product residues and containers should be disposed of in accordance with local government regulations.
------------------------------	---

Product Code: FT482 POG Issue Date: 10/06/2022
Version No: 2.3

#### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

Marine Pollutant NO
HAZCHEM Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS WHEN IN PACKS OF 5L OR LESS.

#### **SECTION 15 REGULATORY INFORMATION**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### D-LIMONENE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

#### ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents classified by AIRC monographs

#### NONYLPHENOL, ETHOXYLATED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

#### **SECTION 16 OTHER INFORMATION**

#### **Revision Schedule**

Revision Date	10/06/2022
Initial Date	08/12/2016

#### **SDS Version Summary**

Version	Issue Date	Sections Updated
2.1	26/02/2021	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected
2.2	28/07/2021	Section 2
2.3	10/06/2022	Sections 2, 3, 8, 11, 12, 15.

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ACTICHEM PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

#### Definitions and abbreviations

PC-TWA; Permissible Concentration-Time Weighted Average
PC-STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer

ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations
OSF: Odour Safety Factor

OSF: Odour Safety Factor
NOAEL: No Observed Effects Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: Bio Concentration Factors
BEI: Biological Exposure Index

This document is copyright

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from ACTICHEM PTY LTD.