

SAFETY DATA SHEET



MULTISAN

ACTICHEM PTY LTD

Product code: AP260

Version No: 3.3

Issue date: 28/07/2025

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	MULTISAN
Product code	AP260
Pac sizes	5L & 15L

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Food area spray and wipe concentrate
--------------------------	--------------------------------------

Details of the supplier of the safety data sheet

Registered company name	ACTICHEM PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Website	www.actichem.com.au
Email	info@actichem.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
GHS Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1
	Classification drawn from HCIS and ECHA C&L Inventory.

Label elements

Hazard pictograms	
-------------------	--

SIGNAL WORD	DANGER
-------------	--------

Hazard statement(s)

H315	Causes skin irritation
H318	Causes serious eye damage

Precautionary statement(s) Prevention

P280	Wear protective gloves and eye protection.
P264	Wash hands and exposed body parts thoroughly after handling.

Precautionary statement(s) Response

P305+P310+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
P302+P362+P352+P332+P313	IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin irritation occurs, get medical advice / attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
64-02-8	<10	<u>EDTA tetrasodium salt</u>
10213-79-3	<10	<u>sodium metasilicate, pentahydrate</u>
64-17-5	<10	<u>ethanol denatured</u>
Trade secret	<10	<u>proprietary surfactant A</u>
Trade secret	<10	<u>proprietary surfactant B</u>
68424-95-3	<10	<u>Mixed C8-10-dialkyldimethyl ammonium chloride</u>

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Obtain medical advice / attention without delay Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If necessary, transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

INGESTION:

Milk and water are the preferred diluents

No more than 2 glasses of water should be given to an adult.

Neutralising agents should never be given since exothermic heat reaction may compound injury.

SKIN AND EYE:

Injury should be irrigated for 20-30 minutes.

Eye injuries require saline.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media	The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.
---------------------	---

Special hazards arising from the substrate or mixture

Fire incompatibility	None known
----------------------	------------

Advice for firefighters

Fire fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses Use firefighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Slight hazard when exposed to heat, flame and oxidisers.
Fire/Explosion Hazard	Non-combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning organic material May emit corrosive fumes.
HAZCHEM	Not applicable

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	Slight environmental hazard Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Slight environmental hazard Control personal contact with the substance, by using protective equipment as required. Prevent spillage from entering drains or water ways. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.
Other information	Store away from incompatible materials.

Conditions for safe storage, including any incompatibilities

Suitable container	Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid strong acids, acid chlorides, acid anhydrides and chloroformates. Avoid contact with copper, aluminium and their alloys.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	ethanol, denatured	Ethyl alcohol	1880 mg/m ³ / 1000 ppm	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
EDTA tetrasodium salt	Ethylenediaminetetraacetic acid, tetrasodium salt; (Tetrasodium EDTA)	75 mg/m ³	830 mg/m ³	5000 mg/m ³
ethanol, denatured	Ethyl alcohol	Not Available	Not Available	Not Available
sodium metasilicate, pentahydrate	sodium metasilicate, pentahydrate	45 mg/m ³	45 mg/m ³	170 mg/m ³

Ingredient	Original IDLH	Revised IDLH
EDTA tetrasodium salt	Not available	Not available
ethanol, denatured	15.000 ppm	3,3000[LEL] ppm
sodium metasilicate, pentahydrate	Not available	Not available

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. - Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, Butyl or Neoprene are recommended for this application
Body protection	See Other protection below
Other protection	Overalls. P.V.C. apron, Barrier cream. Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear violet liquid		
Physical state	Liquid	Relative density (Water = 1)	Not available
Odour	Not available	Viscosity (cSt)	Not Available
Odour threshold	Not Available	Auto-ignition temperature(°C)	Not Available
pH (as supplied)	12.5 - 13	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Partition coefficient n-octanol / water	Not Available
Initial boiling point and boiling range (°C)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Molecular weight (g/mol)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	Inhaling vapour from the product may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane.
Ingestion	Ingestion may produce nausea, vomiting, bleeding from the digestive tract, abdominal pain and diarrhoea..
Skin Contact	The material may cause skin irritation.
Eye	If applied to the eyes, this material causes severe eye damage.
Chronic	No applicable data.

Toxicological effects of ingredients

Sodium metasilicate	Acute toxicity	LD50 Oral - rat - 847 mg/kg
pentahydrate	Skin corrosion/irritation	Corrosive. Causes skin burns
	Eye damage/irritation	Corrosive. Causes eye burns
	Respiratory/skin sensitization	No Data Available
	Germ cell mutagenicity	Sodium silicate was not mutagenic to the bacterium E. Coli when tested in a mutagenicity bioassay
	Carcinogenicity	There are no known reports of carcinogenicity of sodium silicates.
	Reproductive toxicity	Decreased numbers of births and survival to weaning was reported for rats fed sodium silicate in their drinking water at 600 and 1200 ppm.
	STOT (single exposure)	Dust corrosive to respiratory tract
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available

EDTA tetrasodium salt	Acute toxicity	Oral LD50 (rat): >1780 - <2000 mg/kg
	Skin corrosion/irritation	Contact with skin may result in irritation
	Eye damage/irritation	Irritant (rabbit).
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	No adverse effect observed
	Carcinogenicity	Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
ethanol denatured	Acute toxicity	Oral LD50 (mouse) 3450 mg/kg Inhalation LC50 (rat) 2000 ppm/10hrs
	Skin corrosion/irritation	Irritating to skin. Prolonged contact may result in drying and defatting of the skin, rash and dermatitis.
	Eye damage/irritation	Irritating to eyes. Exposure may result in lacrimation, irritation, pain and redness
	Respiratory/skin sensitization	No Data Available
	Germ cell mutagenicity	No Data Available
	Carcinogenicity	No Data Available
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	Chronic ingestion may result in cirrhosis of the liver
	Aspiration toxicity	No Data Available
proprietary surfactant A	Acute toxicity	No data available
	Skin corrosion/irritation	No skin irritation
	Eye damage/irritation	Eye irritation
	Respiratory/skin sensitization	No data available
	Germ cell mutagenicity	No data available
	Carcinogenicity	No data available
	Reproductive toxicity	No data available
	STOT (single exposure)	No data available
	STOT (repeated exposure)	No data available
	Aspiration toxicity	No data available
proprietary surfactant B	Acute toxicity	Oral LD50 (rat) 2546 mg/kg Dermal LD50 (rat) 1844 mg/kg
	Skin corrosion/irritation	Causes skin irritation
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Not a skin sensitizer based on components
	Germ cell mutagenicity	There is no data available
	Carcinogenicity	No components are listed as carcinogens by IARC, ACGIH, OSHA or NTP above the threshold of 0.1%
	Reproductive toxicity	There is no data available
	STOT (single exposure)	There is no data available
	STOT (repeated exposure)	There is no data available
	Aspiration toxicity	There is no data available
Mixed C8-10-dialkyldimethyl ammoniumchloride	Acute toxicity	Oral ATE 50 < LD50 <300 mg/kg Dermal ATE LD50 >2000 mg/kg
	Skin corrosion/irritation	Corrosive
	Eye damage/irritation	Corrosive
	Respiratory/skin sensitization	This material has been classified as not a skin sensitizer.
	Germ cell mutagenicity	This material has been classified as not a mutagen
	Carcinogenicity	This material has been classified as not a carcinogen
	Reproductive toxicity	This material has been classified as not a reproductive toxicant.
	STOT (single exposure)	This material has been classified as not a specific hazard to target organs by a single exposure.
	STOT (repeated exposure)	This material has been classified as not a specific hazard to target organs by repeat exposure.
	Aspiration toxicity	This material has been classified as not an aspiration hazard.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	Endpoint	Duration (Hr.)	Species	Value
sodium metasilicate, pentahydrate	LC50	96	Fish	2-320mg/L
	EC50	48	Crustacea	1-700mg/L
	EC50	72	Algae or other aquatic plants	207mg/L
	EC100	48	Crustacea	10-mg/L
EDTA tetrasodium salt	LC50	96	Fish	1-592mg/L
	EC50	48	Crustacea	140mg/L
	EC50	72	Algae or other aquatic plants	=1.01mg/L
	EC10	72	Algae or other aquatic plants	=0.48mg/L
	NOEC	72	Algae or other aquatic plants	=0.39mg/L

ethanol, denatured	LC50	96	Fish	42-mg/L
	EC50	48	Crustacea	2-mg/L
	EC50	96	Algae or other aquatic plants	-8.358-26.503mg/L
	EC10	168	Algae or other aquatic plants	1.91-mg/L
	NOEC	2016	Fish	0.000375-mg/L
proprietary surfactant A	LC50	96	Oncorhynchus mykiss (rainbow trout)	7.5 mg/L
	EC50	48	Daphnia magna (Water flea)	3.2 mg/L
proprietary surfactant B	LC50	96	Rainbow trout	32.15 mg/L

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ethanol denatured	LOW (Half-life = 2.17 days)	LOW (Half-life = 5.08 days)

Bio accumulative potential

Ingredient	Bioaccumulation
ethanol denatured	LOW (LogKOW = -0.31)

Mobility in soil

Ingredient	Mobility
ethanol denatured	HIGH (KOC = 1)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations
------------------------------	--

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

EDTA TETRASODIUM SALT IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4
Australian Inventory of Industrial Chemicals (AIIC)

SODIUM METASILICATE, PENTAHYDRATE (10213-79-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australian Inventory of Industrial Chemicals (AIIC)

ETHANOL, DENATURED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australian Inventory of Industrial Chemicals (AIIC)

MIXED C8-10-DIALKYLDIMETHYL AMMONIUM CHLORIDE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

PROPRIETARY SURFACTANT A - ALL THE COMPONENTS ARE LISTED OR EXEMPT IN THE FOLLOWING REGULATORY LIST

Australian Inventory of Industrial Chemicals (AIIC)

PROPRIETARY SURFACTANT B - ALL THE COMPONENTS ARE LISTED OR EXEMPT IN THE FOLLOWING REGULATORY LIST

Australian Inventory of Industrial Chemicals (AIIC)

SECTION 16 OTHER INFORMATION

Revision Schedule

Revision Date	28/07/2025
Initial Date	08/12/2016

SDS Version Summary

Version	Issue Date	Sections Updated
3.1	03/12/2020	Sections 2,3,8,11,12,15,16 have been updated or corrected
3.2	09/05/2022	Sections 3, 8, 11, 12, 15.
3.3	28/07/2025	Section 3, 11, 12, 15.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ACTICHEM PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes

Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from ACTICHEM PTY LTD.

End of SDS